

**PRODUCT INFORMATION
GUIDE**



**Feather Vision
226 Cecil A. Malone Dr.
Suite # 2
Ithaca, NY 14850**

Feather Vision
226 Cecil A. Malone Dr.
Suite #2
Ithaca, NY 14850

Phone: 607.256.0759
Toll Free: 866.FVI.LENS
Fax: 607.256.2518

www.feathervisions.com

© 2005 – 2010, FEATHER VISIONS, INC.

About Feather Vision

Feather Vision is the premier provider of optical aids, scope lenses, and sight lenses for use in all types of target and 3D archery and bowhunting. Feather Visions, Inc. was incorporated in 1997 with the mission to bring innovative and improved scope lenses to the archery community.

From their headquarters in Ithaca, NY, company partners and family members Bert, Helen, and Chuck Cooley have propelled Feather Vision to a nationally and internationally recognized, industry leading supplier of OEM scope lenses and replacement scope lenses for all scopes and sights. Additionally, Feather Vision continues to ally itself with such industry notables as CR Archery Products, HHA Sports, Copper John Corp., AXCEL Sights, BowTech, Impact Archery, Spot-Hogg, and BD Archery as these companies work to improve the quality and clarity of optics on the market. Feather Vision continues to gain momentum and build upon their success while remaining dedicated to their mission.

In addition to their own products, Feather Vision is also a distributor of other fine archery products. Scopes, sights, and sighting accessories from CR Archery, HHA, Copper John, Spot-Hogg, AXCEL Sights, BowTech, Impact Archery, and Specialty Archery are available from Feather Vision.

Bert Cooley, President - As President, Bert manages all of the business, contractual, manufacturing, and financial aspects of the company. He leads Feather Vision with a solid background that includes a degree in Business Administration and years of experience as a Senior System Software Engineer for a billion dollar corporation. Bert provides Feather Vision with both a vast knowledge of the archery industry and a complete understanding of the business world.

Helen Cooley, Secretary and Treasurer - In her role as Secretary and Treasurer, Helen manages the day-to-day financial operations of the company. She is primarily responsible for customer service, billing, and accounts receivable. She also performs much of the lab work for lens production and final product shipment. Helen is the wife of Feather Visions' President, Bert Cooley. Prior to working for Feather Vision, Helen was responsible for a multi million payroll and accounting operation in a large upstate New York corporation. Her skills and experience create the backbone of the company's front and back office applications.

Chuck Cooley, Vice President - Responsible for technical issues and R&D, Chuck has been involved in retail and wholesale optical operations for more than 21 years. Being both an avid archer and a New York State licensed, ABO nationally certified optician, Chuck brings the best of both worlds to the company. Chuck's optical experience and knowledge ensure that FeatherVision™ lenses are the highest quality and the best in the industry

Thank you for your interest and support.

Bert, Helen, and Chuck Cooley

Terms and Conditions

Retail Sales:

Payment for sales to all retail customers will be by cash, VISA, MasterCard, Discover Card, or American Express. There is a minimum purchase of \$10.00 required for credit card sales. Checks may be accepted at the option of Feather Vision when accompanied by valid picture ID(s). Any customer presenting a check that is returned for NSF will be charged an additional \$35.00 fee plus any additional collection fees incurred. Credit terms will not be granted to any retail customer.

Archery Shop Sales:

Dealer pricing will be offered to an archery dealer who: 1) maintains for sale, an inventory of archery related supplies, including one bow line, in a retail storefront that is not located in a home or residence and that maintains posted store hours; 2) provides a copy of a valid sales tax id and/or retail business license; 3) provides at least one bow line and distributor as a reference; 4) fills out a FV new account application. NO SALES at dealer pricing will be made until these conditions are met. Cash, VISA, MasterCard, Discover Card, American Express, or COD may be used to make payment for sales to the archery shop.

Credit Terms:

Archery product distributors, and archery equipment manufacturers may send an approved application for credit to Feather Vision. The application will be reviewed and any decision to grant or deny the application will be at the sole discretion of Feather Vision. Please allow 4 to 6 weeks to process credit applications. **Terms of approved applications will be NET 15.** A VISA, MasterCard, Discover Card, or American Express card must secure the account until a satisfactory credit history has been established. All past due invoices will be assessed a finance charge of 2.5% per month. Any accounts 30+ days in arrears become due in full immediately and will be placed on hold. Accounts on hold may make additional purchases only with VISA, MasterCard, Discover Card, American Express, or COD which must include payment for any past due invoice. Accounts placed for collection may be subject to additional charges for collection/legal fees incurred.

International sales:

Payment for international sales must be in the form of international money order, a check drawn on a US bank, cash, VISA, MasterCard, Discover Card, or American Express. All payments are to be in US Dollars. Credit terms ARE NOT AVAILABLE to international customers. All payments must clear before any products are shipped to international addresses.

Returns:

Feather Vision may accept products for return when: 1) the product is being returned under the terms of the Warranty set forth below or, 2) it can be documented that the product was shipped in error and that the error was caused by Feather Vision. Products returned under this policy must be shipped prepaid with a valid RA# and be accompanied by a proof of purchase receipt. At the sole discretion of Feather Vision, a refund or Credit Memo (less applicable re-stocking fee) may be issued for product accepted for return under this policy. Any Credit Memos issued may be used toward future purchases for a period of one year.

Warranties:

Feather Vision warrants to the original purchaser that its products, if used for their intended purpose, be free from defects in material and workmanship for the lifetime of the product. If the original purchaser believes a product to be defective, the purchaser shall deliver the product to Feather Vision for examination. If Feather Vision finds the product to be defective, Feather Vision shall repair or replace the defective product at its discretion. This warranty is void if the returned product shows evidence of misuse, use in any manner for which it was not intended, normal wear and tear, tampering, improper repair, alteration, or damage resulting from improper storage or operation. This warranty does not apply to any product sold but not manufactured by Feather Vision. All products returned under this warranty must be shipped prepaid with a valid RA# to Feather Vision and be accompanied by a proof of purchase receipt.

Feather Vision makes no other warranties or representations of any kind whatsoever express or implied, and all implied warranties, including any warranty of merchantability or fitness for a particular purpose, are hereby disclaimed.

The remedies of the purchaser set forth in this statement are exclusive and the total liability of Feather Visions, Inc. with respect to the product, whether based upon contract, warranty, negligence, implementation, strict liability or otherwise, shall not exceed the purchase price of the product. In no event shall Feather Visions, Inc. be liable for consequential, incidental, or other damages.

Binoculars



Carson XM HD Series

HD Coated Optics For Maximum Light Gathering
O-Ring Sealed, Nitrogen Purged Waterproof Body
Large Objective Lens for Bright Images
Rubberized Armor Coating for Shock Resistance
Long Eye Relief for Eyeglass Wearers
Limited Lifetime Warranty
Available in 8x32, 8x42, 10x42, and 10x50

Item# XM-832HD, XM-842HD, XM-042HD, XM-050HD



Carson XM Compact Series

Phase Coated BAK-4 Roof Prisms
O-Ring Sealed, Nitrogen Purged Waterproof Body
Extremely Light Weight
Rubberized Armor Coating for Shock Resistance
Long Eye Relief for Eyeglass Wearers
Limited Lifetime Warranty
Available in 8x25 and 10x25

Item# XM-825, XM-025



Carson Tracker 8x21

Lightweight Compact Binocular
Easy to Carry, Fits in Pocket or Tote
Great for Sporting Events or Vacation
Water Resistant
Weighs Just 7 oz.

Item# TZ-821



MonoZoom™ 8x25

Lightweight Compact Zoom Monocular
8-16x Power Range
25mm Objective Lens
Easy to Carry, Fits in Pocket or Tote
Perfect for a Quick Look
Great for Sporting Events or Vacation
Weighs Just 2 oz.

Item# ZM-825

Lenses - Lenses - Lenses



At Feather Vision, our focus has always been to provide excellent quality, affordable, scope lenses and optical accessories to the archery community.

We understand and appreciate each archer will have his or her own equipment preference. However, they may want to change or upgrade the optics they use without having to purchase another scope or lens adapted sight. This situation is where we offer an optimal solution.

Feather Vision can make a replacement lens for most, if not all, scopes and lens enabled sights on the market.

We offer many scope lens options in various price ranges as outlined on the following pages, just pick the one you want. And if you are in the market for a scope we offer those as well. When you purchase from us, you can mix and match your choice of a FeatherVision™ lens with your preferred scope.

Feather Vision proudly distributes scopes, sights, and sighting accessories from CR Archery, HHA, Copper John, Spot-Hogg, Impact Archery, AXCEL Sights, BowTech and Specialty Archery, along with binoculars from Carson.

Need shooting glasses? We carry Decot shooting glasses, including prescription options.

Scope Lens Options

FT - FeatherVision TruVision™



New for 2010, this scope lens, features a zero power base lens with a power button centered on the lens in either a 7mm or 10mm size. This center magnification principle allows a more natural centering of the target and eliminates the need to 'peek' around a pin or dot. The design of this scope lens combines Zeiss® supplied glass, and premium Zeiss® multi-layer AR coatings on a slightly curved surface to provide a sharp and clear target image. Offered lens powers are: +.75, and +1.00 diopter in a 7mm or 10mm power button. Lens drilling and lens tinting options are not available.

FT - FeatherVision VerdePlus™



Introduced in 2009, this lens is our latest offering in a plano-convex lens. The advanced design combines superior Zeiss® supplied glass, the latest Zeiss® AR coating, and Zeiss® manufacturing technology to provide an exceptionally clear lens. The advanced Zeiss® coating provide a 99.98% light transmission capability and hydrophobic (water hating) qualities. An oleophobic coating repels fingerprints, grease, dust, and dirt and makes the lens easy to clean. This advanced coating along with a higher hardness rating combine to provide enhanced durability. Offered lens powers are: +.25, +.37, +.50, +.62, +.75, +.82, and +1.00 diopter.

FR - FeatherVision Radura™



The advanced design of this scope lens introduced in 2007, combines Zeiss® supplied glass, premium Zeiss® multi-layer AR coatings, and Zeiss® manufacturing technology to produce a sharp, clear and balanced target image. The superb material, coating, and manufacturing process, combine to offer superior scratch resistance, light transmission throughout the entire visible spectrum, and virtually eliminate reflection. Offered lens powers are: +.25, +.37, +.50, +.67, +.75, +.87, and +1.00 diopter. Lens drilling and lens tinting options are not available.

FP - FeatherVision 790Plus™

Introduced in 2005, this scope lens combines the outstanding optical qualities of the Series790™ lens with a superior **Plus** AR coating. The proprietary AR coating provides scratch resistance comparable to glass and a super slick surface that repels water completely. With a reflectance less than 0.5%, reflection is virtually eliminated. This scope lens carries a one year warranty against scratching when maintained as directed. Offered lens powers are: +.25, +.50, +.75, and +1.00 diopter. Lens tinting options are not available. Drilling can be done in .020", .030", .040", and .060".

Shooting and Optical Accessories

Lens Cleaner

Biodegradable and Specially Formulated for AR Coated Lenses. Can be Used Safely on Any Lens.

Item# FV-LNS-CLN-B



Micro-Fiber Lens Cloth

Can be Used When Lens Cleaner is Not Available. Lifts Dirt, Dust, and Skin Oils From the Lens Surface

Item# FV-LNS-CLN-C



Pre-Moistened Lens Cloth

Same Great Formula as Our Lens Cleaner. Individually Packaged for Single Use. Sold in 3 Pack.

Item# FV-LNS-CLN-D



Anti-Fog Treatment or Anti-Fog & Cleaner

Dry Anti-Fog Formula . Multiple Uses From Each Cloth. Lens Cleaner & Liquid Anti-Fog Treatment

Item# FV-LNS-CLN-F, FV-LNS-CLN-CF



Mini Lens Pen

Compact Natural Hair Lens Brush to Wipe Away Dust and Grit. Great for Field Use or Prior to Cleaning Lens.

Item# FV-LNS-PEN



Lens Tote

Safely Transport Spare Scope Lenses in This Plastic Lens Carrier. Padded Interior Protects Lens.

Item# FV-LNS-TOT-S (1 ea.) or FV-LNS-TOT-C (3 Pak)



Decot Classic Hy-Wyd Shooting Glasses

Interchangeable Plastic Lenses
Spring Metal Frame w/Spring Hinges Temples
Ten Different Tints for Varied Lighting Conditions
Polycarbonate Lenses Available
Includes Hard Carry Case
Adjustable Nose Bridge

Available in Prescription

Item# Hy-Wyd



Shooting and Optical Accessories

Carson Hat Visor Magnifiers

Clips to Brim of Hat and Flips Down for Use.
Available Powers: +1.75, +2.00, +2.25



Item# VM-10, VM-12, VM-14

Double Vision Blinder

Clips on Hat to Cover Non-Aiming Eye. Allows Shooting With Both Eyes Open. Mini Version Available



Item# FV-DBL-VIS-B(W), FV-DBL-VIS-M

Fiber Optic Material

Available Colors are Red, Yellow, Green, and Blue.
Available Sizes are .019", .030", .040", and .060"



Item# FV-FIB-(Dia)-T (Tube) or FV-FIB-(Dia)-B (Bulk)

CR Sight Scale Magnifier

Polycarbonate Material Provides 2-3X Magnification. Fits Sure-Loc, Copper John, CBE, HTM, Toxonics, etc.



Item# SSM

CR Sight Scale Hider

ASA/IBO Legal Sight Scale Cover. Mounts to Sight Scale Magnifier. Durable ABS Plastic.




Item# SSH

Gunstar Reticles

Aiming Transfers for Your Lens
Easy to Apply
Template for Centering on Lens Included

Bi-Spectral Dots - Item# FV-RET-SPK
Dots Only - Item# FV-RET-DOT
Half Duplex - Item# FV-RET-DUP
Precision Target - Item# FV-RET-COM
(Dots & Circles)
Chubby Target - Item# FV-RET-CHB
(Thicker Walls than Precision Target)
Std. Crosshair - Item# FV-RET-CRH
Tail Numbers - Item# FV-RET-TAI



Available Colors: Orange, Yellow, Green, Black, White, Pink



Scope Lens Options

F7 - FeatherVision Series790™

When announced in 2004, this scope lens represented our continuing effort to provide advanced optics to the archery community. It features the superior qualities of the finest optical polymers and the unequaled advantages of aspheric design. The target image is presented clearly from edge-to-edge of the lens. The multilayer, waterproof, AR coating offers superb capabilities in suppressing reflection. The target image is sharper, clearer, and undistorted even when using a higher power. Offered lens powers are: +.25, +.50, +.75, and +1.00 diopter. Tinting can be done in Amber, Red, or Blue. Drilling can be done in .020", .030", .040", and .060".

FG - FeatherVision Verde™



Introduced in 2001, this lens was in response to the desire for a flatter glass material lens. Using a specific curve structure that provides a clearer image than the truly flat lens design, this glass lens performs extremely well in most conditions. The specific curve structure combined with the clear optical properties of glass minimizes traditional reflections that often plague flatter designs while allowing a sharp clean view of the target. The premium AR Coating is provided by Zeiss®. Offered lens powers are: +.25, +.37, +.50, +.62, +.75, +.82, and +1.00 diopter. Lens drilling is not available. Lens tinting is available in light yellow or light blue.

FA - FeatherVision Allusion™

This is a lens specifically designed for "dot" shooting and introduced in 2001. It uses a high power minus lens to minify the target and a drilled hole in the center of the lens corresponding to the target size. This makes the target look as if the center of the lens is magnified, thus being easier to hit. The lens helps in 2 major areas: 1) Calming the shot process for a smoother easier arrow and, 2) Allowing the shooter more freedom of setup and tuning by not having to worry about a peep clarifier system to see the target. Tinting can be done in Amber, Red, or Blue.

FV - FeatherVision OriginalPlus™

In 2006 we introduced improvements to the first material and lens we brought to the scope market by adding a superior **Plus** AR coating. The proprietary AR coating provides scratch resistance comparable to glass and a super slick surface that repels water completely. This scope lens carries a one year warranty against scratching when maintained as directed. These lenses are made using the highest quality optical grade polycarbonate material. Offered lens powers are: +.25, +.50, +.75, and +1.00 diopter. Lens tinting options are not available. Drilling can be done in .020", .030", .040", and .060".

Sight Offerings



AX2000-HD Target Sight



2" of Elevation Adj.
 Mathews® Harmonic Damper
 Quick Change 2nd/3rd Axis Scope Block
 Rapid Travel Gang Adjustments
 40 Clicks/Revolution Elevation Adj. (.0625")
 20 Clicks/Revolution Windage Adj. (.0625")
 Heavy Duty Stainless Steel Adjustment Rod
 6", 9", or 12" Extension Bar

Item# AX20-xDy x is Bar Length, y is R/L Hand

AX3000-HD Target Sight



3" of Elevation Adj.
 Mathews® Harmonic Damper
 Quick Change 2nd/3rd Axis Scope Block
 Rapid Travel Gang Adjustments
 40 Clicks/Revolution Elevation Adj. (.0625")
 20 Clicks/Revolution Windage Adj. (.0625")
 Heavy Duty Stainless Steel Adjustment Rod
 6", 9", or 12" Extension Bar

Item# AX30-xDy x is Bar Length, y is R/L Hand

AX4500-HD Target Sight



4.5" of Elevation Adj.
 Mathews® Harmonic Damper
 Quick Change 2nd/3rd Axis Scope Block
 Rapid Travel Gang Adjustments
 40 Clicks/Revolution Elevation Adj. (.0625")
 20 Clicks/Revolution Windage Adj. (.0625")
 Heavy Duty Stainless Steel Adjustment Rod
 6", 9", or 12" Extension Bar
 (Available with Recurve #8-32 Threaded Block)

Item# AX45-xDy x is Bar Length, y is R/L Hand

Scope Accessories

Scope Covers

Protects your Scope or Pin Sight
 Water Resistant - Available in Large or Small Size

Item# FV-SCP-CVR-L (Lg) or FV-SCP-CVR-S (Sm)



HHA Lens Adapter Kit B or Adapter Kit X

Lens Kit B for 1 3/4" Housings
 Lens Kit X for 2 1/4" Housings


Item# LNS-KIT-B or LNS-KIT-X



Specialty Archery Crosshair Ring

Crosshair Ring for the NE or NE II Scope

Item# SS-CH-NE, SS-CH-NE2



Specialty Archery Glow Ring

Metal Glow Ring for the NE, NE II, Pro, or Pro XL Scope

Item# SS-GR-NE, SS-GR-NE2, SS-GR-PRO, SS-GR-PROX



Lens Adapter for Original Dead Nuts Sights

Lightweight CNC Machined Adapter Attaches with
 Two Hex Head Screws.

Threaded Lens Retainer Ring Allows Quick
 Installation/Removal of Lens.

Includes Lens with Premium Coating and Super
 Slick Surface to Repel Water and Dust.

Available Powers: +0.0, +0.25, +0.50, or +0.75

Item# FV-DNA-0xx ('xx' is lens power)



Lens Retainer Ring for Sure- Loc® Scopes

Now you can use a FeatherVision™ Lens
 in your Sure-Loc® Scope

Exact Thread Match

Offered in 29mm, 35mm, and 42mm Sizes
 Includes Retainer Ring, Shelf Enhancement Ring,
 O-Ring and FeatherVision Verde™ Lens

Item# FV-SHL-LRS-xx ('xx' is 29, 35, or 42)



Scope Accessories

CR Apex Sunshade

CNC Machined Aluminum
For 3D or Target Scope

Item# A3DSS (3D) or ATSS (Target)



CR Crosshair Kit

For 3D or Target Housing
.014" & .018" Green & Yellow and .015" Black Crosshair
Material

Item# ACHK



CR RazorFire Fiber Post

Steel Post with 8-32 Threads
Available Fiber Diameters - .019", .029", .040", .060"

Item# ARFP



Scope Edge Mask

For Outlining Scope Housing in Your Peep
Available for CR and Specialty Archery Scopes

Item# FV-RET-CRM, FV-RET-SSM



CR Lens Retainer Ring

CNC Machined Aluminum Lens Retainer Ring
For 3D or Target Scope

Item# A3DLR (3D) or ATLR (Target)



Scope Rod

Stainless Steel 10-32 Rod - 2 3/4" Long
Hardened Steel 10-32 Rod - 2 1/2" Long

Item# FV-SR



O-Ring

Soft Rubber to Cushion Lens and Eliminate Rattle
For 1 3/4" 3D Scope or 1 3/8" Target Scope

Item# A3DOR (3D) or ATOR (Target)



Scope Level

Yellow or Red
7/8" Long, 5/16" Diameter

Item# ALV-Y, ALV-R



Sight Offerings

AXCEL ARMORTECH-HD

4, 5, or 7 Pin Sight
True Center Vision Technology
Mathews® Harmonic Damper
Tool-Less Windage and Elevation Thumb Locks
20 Clicks/Revolution Windage & Elevation Adj.
Fiber Protected Entire Length
Interchangeable Right or Left Hand
Pins sizes - .010", .019" or .029"

Item# AXAT-Dyxx y is # of Pins, xx is Pin Size



AXCEL ARMORTECH-HD PRO

4, 5, or 7 Pin Dovetail Sight
True Center Vision Technology
Mathews® Harmonic Damper
Universal Quiver Mount
20 Clicks/Revolution Windage & Elevation Adj.
Fiber Protected Entire Length
Pins sizes - .010" or .019"

Item# AXAP-Dyxx y is # of Pins, xx is Pin Size



AXCEL LENS FRAME/RETAINER/HOOD

Put a FeatherVision™ Lens on your AXCEL Sight
with Either the Lens Frame/Retainer Combo
Or the Lens Frame/Hood Combo

Lens Options are Described on Pgs. 4, 5

Item# AXAT-ARFC (frame) or AXAT-ARHC (hood)



Sight Offerings

SPOT-HOGG HOGG-IT

Features 5 Individually Adjustable Fiber Optic Pins in .019", .029", or .039"
 "No Clamp" Gang Adjustments
 2nd and 3rd Axis Micro Adjust
 Individually Micro Adjust Pins
 Detachable Dovetail Mount
 Small (2") or Large (2 3/8") Pin Guard
 Lens Adapter Available with FeatherVision™
 790Plus™ Lens in diopters of +.25, +.50, or +.75



Item# SH-HOGGIT

SPOT-HOGG HOGG FATHER

Coarse Horizontal & Vertical Adjustments
 2nd & 3rd Axis Micro Adjust
 No Tool Micro Adjust Windage & Elevation
 Micro Adjust Pointer
 Geared Down Yardage Knob for Accurate Settings
 Accepts Universal Scope Rod
 Removable Rack for Traveling



Item# SH-FATHER

SPOT-HOGG TOMMY HOGG

Up Pin or Multi-Pin Movable Hunting Sight
 Coarse Horizontal & Vertical Adjustments
 2nd & 3rd Axis Micro Adjust
 No Tool Micro Adjust Windage & Elevation
 Geared Down Yardage Knob for Accurate Settings
 Front Wheel Drive for Maximum Quiver Clearance
 Removable Rack for Traveling
 Lens Adaptable



Item# SH-TOMMY

Copper John Ants 3D Target Sight

Features Always Normal Technology to Keep
 Scope Square to the Eye at All Distances
 Extra Windage Travel
 Includes 3rd Axis Scope Carrier
 10 Bearing Surfaces for Ultimate Durability
 Available in 5", 8", or 11" Extension
 Available in Black or Silver
 Right or Left Hand Models



Item# CJ-ANTS-3D, CJ-ANTS-FT

Scope Offerings

HHA Pro-5500, Pro-5510, and Pro-5519

1.650" Field of View
 CNC Machined Aluminum Housing
 Stainless Steel 10-32 Rod
 Wrapped with 5 feet of .010", .019", or .029"
 Fiber Optic (Red or Green)
 Exclusive Rheostat Adjusts Pin Brightness
 Available Accessories: Lens Kit B (required for lens)
 Blue Burst Light



Item# PRO5500, PRO5510, PRO5519

Specialty NE or NE II

1.235" or 1.10" Field of View
 Clear or Black Polycarbonate Housing
 Heat Treated Steel 10-32 Rod
 1 3/8" or 1 5/8" O.D. Body
 Easy Change Modular Accessory System
 Available Accessories: Crosshair Ring, Metal Glow
 Ring, SS Lenses (special order)



Item# SS-NE-C, SS-NE2-C, SS-NE-B, SS-NE2-B

Specialty PRO and PRO XL Series

PRO Target (1 3/8") and PRO XL (1 3/4")
 Black Machined Aluminum Housing
 (PRO Target Avail. In Red, Silver, Green, & Blue)
 Heat Treated Steel 10-32 Rod
 Unique 2nd Axis Adjustment
 Easy Change Modular Accessory System
 Available Accessories: Crosshair Ring, Metal Glow
 Ring, SS Lenses (special order)



Item# SS-PRO-TGT, SS-PRO-XL

Total Eclipse

By Dynamic Analysis

No More Bubble !
 Gravity and the Alignment Ring Level Your Shot
 Alignment Ring Glides on Smooth Bearing
 1 3/4" Field of View
 Up Pin Available
 10-32 Mounting Rod



Item# DA-TE-134

Patent Pending
 Dynamic Analysis, LLC

Scope Offerings



FeatherVision™ Gold Spot

1.88" Field of View
 Machined Aluminum Body
 Gold Anodized Finish
 Hardened 10 - 32 Rod
 Accepts Up-Pin
 Perfect for Target Archery

Item# FV-GLD-SCP

CR Apex 3-D Scope



1.660" Field of View
 CNC Machined Aluminum Housing
 Stainless Steel 10-32 Rod
 Threaded Housing and Lens Retainer Ring
 Converts to Right or Left Hand
 Available in Black, Red, Blue, and Silver
 Available Accessories: Crosshair Kit, Sunshade,
 Up-Pin

Item# A3DSH

CR Apex Target Scope



1.250" Field of View
 CNC Machined Aluminum Housing
 Stainless Steel 10-32 Rod
 Threaded Housing and Lens Retainer Ring
 Converts to Right or Left Hand
 Available in Black, Red, Blue, and Silver
 Available Accessories: Crosshair Kit, Sunshade,
 Up-Pin

Item# ATSH

HHA Pro-5000, Pro-5010, and Pro-5019



1.650" Field of View
 CNC Machined Aluminum Housing
 Stainless Steel 10-32 Rod
 Wrapped with 3 feet of .010" .019" or .029"
 Fiber Optic (Red or Green)
 Available in Right or Left Hand
 Available Accessories: Lens Kit B (required for lens)
 Blue Burst Light

Item# PRO5000, PRO5010, PRO5019

Sight Offerings



HHA Triple Threat T-500 & T-519

2" Field of View
 CNC Machined Aluminum
 3 Feet of 0019 or .029" Fiber Optic per Pin
 Pins Individually Micro Adjustable
 Accepts Light Kit

Accepts Lens with Lens Kit X



Item# T-500, T-519

HHA Optimizer-Lite OL-5000, OL-5010 & OL-5019

Tool Free Micro Adjust
 CNC Machined Aluminum
 A.R.M.O.R Sight Pin
 3 Feet of .010, .019, or .029 Fiber
 Patented EZ-TAPES
 Accepts Light Kit
 Accepts Lens with Lens Kit B



Item# OL-5000, OL-5010, OL-5019

HHA Optimizer-Lite Ultra DS-5000, DS5010, & DS-5019

Exclusive Yardage Dial Allows Rapid Adjustment
 Includes Customized Yardage Scale
 Tool Free Micro Adjust Windage
 CNC Machined Aluminum
 A.R.M.O.R Sight Pin
 3 Feet of .010", .019", or .029" Fiber
 Accepts Light Kit
 Accepts Lens with Lens Kit B



Item# DS-5000, DS-5010, DS-5019

Scope Offerings



Feather Visions is Proud to Feature MaXXis™ Scopes from Copper John Corp.



Item# CJ-MAX-625

Item# CJ-MAX-375

Item# CJ-MAX-125

Offered in Three Sizes to Fit Your Needs

MaXXis 625
FOV 1.52"

MaXXis 375
FOV 1.13"

MaXXis 125
FOV 1.01"

Sleek and Functional, the MaXXis™ is sure to go down as one of archery's killer products. Its many features include:

TAC™ Tech - Total Axis Control - Integrates 2nd and 3rd Axis adjustments into the scope so the fasteners bear none of the weight from the sight bar. Secure locking screws resolve undesired axis movement. Just set it and forget it.

PivoTek™ Technology - Provides a dedicated pivot point between the fasteners securing the 3rd Axis. This effectively doubles the amount of force securing the adjustment.

SmoothWay™ Technology - Provides a 'smooth way' for the fiber to transition from the outer housing to the tip of the pin. The fiber follows a gentle radius from its wrap on the housing, through the wall and onto the pin. This eliminates sharp bends that result in cracks, lost light and reduced fiber life.

FeatherVision™ Lenses - The Verde™ and 790Plus™ lenses from Feather Visions are offered as standard options. Other FeatherVision™ lens offerings are available by contacting Feather Visions directly. See Pg. 4 - 5 for lens descriptions.

Scope Offerings



MaXXis™
Countless Options
Industry Wide Compatibility

MaXXis™ As Shipped

The MaXXis™ is shipped as shown —>>> with these standard features:
TAC™, SmoothWay™, PivoTek™, 2nd and 3rd Axis, Small Bubble, Hex/Square Adapter


MaXXis™ Compatibility

The MaXXis™ is compatible with these brands:
Copper John Ants, Sure-Loc® Sights, Toxonics Sights, Shibuya Sights, CBE Sights, Axcel Sights
Other sights by using the scope rod kit

MaXXis™ Options and Accessories

Ants™ Adapter
Fiber Wrap Kit
Large Bubble
Standard 10-32 Mounting Rod
Up Pin (.010", .019", .029", .039")
Perimeter Highlight Rings (see chart at right)

Any FeatherVision™ Lens



Item#s CJ-MAX-UP-xx, CJ-MAX-FIB-xx, CJ-MAX-LEV-L, CJ-MAX-ROD, CJ-MAX-PHR-x, CJ-MAX-ANTS ('xx' is up pin or fiber size, 'x' is color of ring)